

8. REFERENCES

- NIOSH. 1996a. Lead in surface wipe samples: Method 9100, Issue 2. NIOSH Manual of Analytical Methods (NMAM), Fourth ed. National Institute for Occupational Safety and Health. <https://www.cdc.gov/niosh/docs/2003-154/pdfs/9100.pdf>. March 30, 2017.
- NIOSH. 1998. Lead by field portable XRF: Method 7702, Issue 1. NIOSH Manual of Analytical Methods (NMAM), Fourth ed. National Institute for Occupational Safety and Health. <http://www.cdc.gov/niosh/docs/2003-154/pdfs/7702.pdf>. March 29, 2017.
- NIOSH. 2003a. Elements by ICP (Aqua Regia Ashing): Method 7301, Issue 1. NIOSH Manual of Analytical Methods (NMAM), Fourth ed. National Institute for Occupational Safety and Health. <https://www.cdc.gov/niosh/docs/2003-154/pdfs/7301.pdf>. March 29, 2017.
- NIOSH. 2003b. Elements by ICP (Hot Block/HCl/HNO₃ Ashing): Method 7303, Issue 1. NIOSH Manual of Analytical Methods (NMAM), Fourth ed. National Institute for Occupational Safety and Health. <https://www.cdc.gov/niosh/docs/2003-154/pdfs/7303.pdf>.
- NIOSH. 2003c. Elements by (ICP): Method 7300, Issue 3. NIOSH Manual of Analytical Methods (NMAM), Fourth ed. National Institute for Occupational Safety and Health. <https://www.cdc.gov/niosh/docs/2003-154/pdfs/7300.pdf>. March 29, 2017.
- NIOSH. 2003d. Elements on wipes methods: Method 9102, Issue 1. NIOSH Manual of Analytical Methods (NMAM), Fourth ed. National Institute for Occupational Safety and Health. <https://www.cdc.gov/niosh/docs/2003-154/pdfs/9102.pdf>. March 30, 2017.
- NIOSH. 2003e. Lead in dust wipes: Method 9105, Issue 1. NIOSH Manual of Analytical Methods (NMAM), Fourth ed. National Institute for Occupational Safety and Health. <https://www.cdc.gov/niosh/docs/2003-154/pdfs/9105.pdf>. March 30, 2017.
- NIOSH. 2005. Lead. NIOSH pocket guide to chemical hazards. Atlanta, GA: National Institute for Occupational Safety and Health, Centers for Disease Control and Prevention. <http://www.cdc.gov/niosh/npg/npgdname.html>.
- NIOSH. 2014a. Elements by ICP (Microwave Digestion): Method 7302, Issue 1. NIOSH Manual of Analytical Methods (NMAM), Fifth ed. National Institute for Occupational Safety and Health. <https://www.cdc.gov/niosh/docs/2014-151/pdfs/methods/7302.pdf>. March 29, 2017.
- NIOSH. 2014b. Elements by ICP (Microwave Digestion): Method 7304, Issue 1. NIOSH Manual of Analytical Methods (NMAM), Fifth ed. National Institute for Occupational Safety and Health. <https://www.cdc.gov/niosh/docs/2014-151/pdfs/methods/7304.pdf>. March 29, 2017.
- NIOSH. 2015. Elements by cellulosic internal capsule sampler: Method 7306, Issue 1. NIOSH Manual of Analytical Methods (NMAM), Fifth ed. National Institute for Occupational Safety and Health. <https://www.cdc.gov/niosh/docs/2014-151/pdfs/methods/7306.pdf>. March 29, 2017.
- NIOSH. 2016a. Lead by portable ultrasonic extraction/ASV: Method 7701, Issue 3. NIOSH Manual of Analytical Methods (NMAM), Fifth ed. National Institute for Occupational Safety and Health. <https://www.cdc.gov/niosh/docs/2014-151/pdfs/methods/7701.pdf>. March 29, 2017.
- NIOSH. 2016b. Lead. NIOSH pocket guide to chemical hazards. Atlanta, GA: National Institute for Occupational Safety and Health, Centers for Disease Control and Prevention. <https://www.cdc.gov/niosh/npg/npgd0368.html>. May 10, 2017.
- NIOSH. 2016c. Tetraethyl lead. NIOSH pocket guide to chemical hazards. Atlanta, GA: National Institute for Occupational Safety and Health, Centers for Disease Control and Prevention. <https://www.cdc.gov/niosh/npg/npgd0601.html>. May 10, 2017.
- NIOSH. 2017. Elevated blood lead levels among employed adults — United States, 2014 Adult Blood Lead Epidemiology and Surveillance (ABLES).
- Nishioka E, Yokoyama K, Matsukawa T, et al. 2014. Evidence that birth weight is decreased by maternal lead levels below 5 µg/dl in male newborns. *Reprod Toxicol* 47:21-26. 10.1016/j.reprotox.2014.05.007.
- Niu Y, Yu W, Fang S, et al. 2015. Lead poisoning influences TCR-related gene expression patterns in peripheral blood T-lymphocytes of exposed workers. *J Immunotoxicol* 12(1):92-97. 10.3109/1547691X.2014.899412.

8. REFERENCES

- NOAA. 1998. Sampling and analytical methods of the National Status and Trends Program Mussel Watch Project: 1993-1996 Update. Silver Spring, MD: National Oceanic and Atmospheric Administration. NOAA Technical Memorandum NOS ORCA 130. <http://aquaticcommons.org/2201/>. March 30, 2017.
- Nordberg GF, Gerhardsson L, Mumtaz MM, et al. 2015. Interactions and mixtures in metal toxicology. In: Nordberg GF, Fowler BA, Nordberg M, eds. Handbook on the toxicology of metals. Chapter 11. Fourth ed. Elsevier, 213-238.
- Nordenson I, Beckman G, Beckman L, et al. 1978. Occupational and environmental risks in and around a smelter in northern Sweden. IV. Chromosomal aberrations in workers exposed to lead. *Hereditas* 88:263-267.
- NRC. 2005. Superfund and mining megasites. Lessons from Coeur d'Alene River Basin. National Research Council. <http://dels.nas.edu/Report/Superfund-Mining-Megasites-Lessons-from/11359>. December 5, 2017
- Nriagu J, Burt B, Linder A, et al. 2006. Lead levels in blood and saliva in a low-income population of Detroit, Michigan. *Int J Hyg Environ Health* 209(2):109-121. 10.1016/j.ijheh.2005.11.005.
- Nriagu JO. 1978. Lead in soils, sediments and major rock types. In: Nriagu JO, ed. The biogeochemistry of lead in the environment. Part A. Ecological cycles. New York: Elsevier/North-Holland Biomedical Press, 15-72.
- NSF. 1977. Lead in the Environment. Washington, DC: National Science Foundation, 105-133. Report No NSF/RA-770214.
- NTP. 2012. NTP monograph on health effects of low-level lead. National Toxicology Program. https://ntp.niehs.nih.gov/ntp/ohat/lead/final/monographhealtheffectslowlevellead_newissn_508.pdf. May 31, 2017.
- NTP. 2016. Lead and lead compounds, CAS No. 7439-92-1 (lead). Report on carcinogens, Fourteenth ed. Research Triangle Park, NC: U.S. Department of Health and Human Services, Public Health Service, National Toxicology Program. <https://ntp.niehs.nih.gov/ntp/roc/content/profiles/lead.pdf>. May 4, 2017.
- Nwosu JU, Harding AK, Linder G. 1995. Cadmium and lead uptake by edible crops grown in a silt loam soil. *Bull Environ Contam Toxicol* 54:570-578.
- Odlund JO, Nieboer E, Romanova N, et al. 1999. Blood lead and cadmium and birth weight among sub-arctic and arctic populations of Norway and Russia. *Acta Obstet Gynecol Scand* 78:852-860.
- O'Flaherty EJ. 1987. Modeling: An introduction. In: Pharmacokinetics in risk assessment: Drinking water and health. Vol. 8. Washington, DC: National Academy Press, National Academy of Sciences, 27-33.
- O'Flaherty EJ. 1991a. Physiologically based models for bone-seeking elements. II. Kinetics of lead disposition in rats. *Toxicol Appl Pharmacol* 111:313-331.
- O'Flaherty EJ. 1991b. Physiologically based models for bone-seeking elements: III. Human skeletal and bone growth. *Toxicol Appl Pharmacol* 111(2):332-341.
- O'Flaherty EJ. 1993. Physiologically based models for bone-seeking elements. IV. Kinetics of lead disposition in humans. *Toxicol Appl Pharmacol* 118(1):16-29.
- O'Flaherty EJ. 1995a. Physiologically based models for bone-seeking elements. V. Lead absorption and disposition in childhood. *Toxicol Appl Pharmacol* 131:297-308.
- O'Flaherty EJ. 1995b. PBK modeling for metals. Examples with lead, uranium, and chromium. *Toxicol Lett* 82/83:367-372.
- O'Flaherty EJ. 1998. A physiologically based kinetic model for lead in children and adults. *Environ Health Perspect* 106(Suppl 6):1495-1503.
- O'Flaherty EJ. 2000. Modeling normal aging bone loss, with consideration of bone loss in osteoporosis. *Toxicol Sci* 55:171-188.
- O'Flaherty EJ, Hammond PB, Lerner SI. 1982. Dependence of apparent blood lead half-life on the length of previous lead exposure in humans. *Fundam Appl Toxicol* 2:49-55.

8. REFERENCES

- Oldereid NB, Thomassen Y, Attramadal A, et al. 1993. Concentrations of lead, cadmium and zinc in the tissues of reproductive organs of men. *J Reprod Fertil* 99:421-425.
- Olivero-Verbel J, Duarte D, Echenique M, et al. 2007. Blood lead levels in children aged 5-9 years living in Cartagena, Colombia. *Sci Total Environ* 372(2-3):707-716. 10.1016/j.scitotenv.2006.10.025.
- Olmedo P, Goessler W, Tanda S, et al. 2018. Metal concentrations in e-cigarette liquid and aerosol samples: The contribution of metallic coils. *Environ Health Perspect* 126(2):027010. <http://doi.org/https://doi.org/10.1289/EHP2175>.
- Olson KW, Skogerboe RK. 1975. Identification of soil lead compounds from automobile sources. *Environ Sci Technol* 9:227-230.
- Omae K, Sakurai H, Higashi T, et al. 1990. No adverse effects of lead on renal function in lead-exposed workers. *Ind Health* 28(2):77-83.
- Omokhodion FO, Crockford GW. 1991. Lead in sweat and its relationship to salivary and urinary levels in normal healthy subjects. *Sci Total Environ* 103(2-3):113-122.
- Onalaja AO, Claudio L. 2000. Genetic susceptibility to lead poisoning. *Environ Health Perspect* 108(Suppl 1):23-28.
- O'Neil MJ, Heckelman PE, Dobbelaar PH, et al. 2013. Lead and lead compounds. In: The Merck index. The Royal Society of Chemistry, 1004-1007, 1706.
- Ong C, Kong Y, Ong H, et al. 1990. The *in vitro* and *in vivo* effects of lead on δ-aminolevulinic acid dehydratase and pyrimidine 5'-nucleotidase. *Basic Clin Pharmacol Toxicol* 66(1):23-26.
- Ong CN, Lee WR. 1980. Distribution of lead-203 in human peripheral blood *in vitro*. *Br J Ind Med* 37:78-84.
- Onuegbu AJ, Olisekodiaka MJ, Nwaba EI, et al. 2011. Assessment of some renal indices in people occupationally exposed to lead. *Toxicol Ind Health* 27(5):475-479. 10.1177/0748233710390020.
- Oomen AG, Rompelberg CJ, Bruil MA, et al. 2003b. Development of an *in vitro* digestion model for estimating the bioaccessibility of soil contaminants. *Arch Environ Contam Toxicol* 44(3):281-287.
- Oomen AG, Tolls J, Sips AJAM, et al. 2003a. Lead speciation in artificial human digestive fluid. *Arch Environ Contam Toxicol* 44:107-115.
- Opler MGA, Brown AS, Graziano J, et al. 2004. Prenatal lead exposure, δ-aminolevulinic acid, and schizophrenia. *Environ Health Perspect* 112(5):548-552. 10.1289/ehp.10464.
- Opler MGA, Buka SL, Groeger J, et al. 2008. Prenatal exposure to lead, δ -aminolevulinic acid, and schizophrenia: Further evidence. *Environ Health Perspect* 116(11):1586-1590. 10.1289/ehp.10464.
- Orisakwe O, Nwachukwu E, Osadolor H, et al. 2007. Liver and kidney function tests amongst paint factory workers in Nkpor, Nigeria. *Toxicol Ind Health* 23(3):161-165.
- O'Rourke MK, Vandewater PK, Jin S, et al. 1999. Evaluations of primary metals from NHEXAS Arizona: Distributions and preliminary exposures. *J Expo Anal Environ Epidemiol* 9:435-445.
- Orssaud G, Claude JR, Moreau T, et al. 1985. Blood lead concentration and blood pressure. *Br Med J* 290:244.
- OSHA. 1995. Subpart Z - Toxic and hazardous substances. Lead-general. Code of Federal Regulations. 29 CFR 1910.1025. Occupational Safety and Health Administration.
- OSHA. 2016a. Subpart Z - Toxic and hazardous substances. Lead - general. Code of Federal Regulations. 29 CFR 1910.1025. <https://www.gpo.gov/fdsys/pkg/CFR-2016-title29-vol6/pdf/CFR-2016-title29-vol6-sec1910-1025.pdf>. May 4, 2017.
- OSHA. 2016b. Subpart Z - Toxic and hazardous substances. Air contaminants - general industry. Code of Federal Regulations. 29 CFR 1910.1000. <https://www.gpo.gov/fdsys/pkg/CFR-2016-title29-vol6/pdf/CFR-2016-title29-vol6-sec1910-1000.pdf>. March 6, 2017.
- OSHA. 2016c. Subpart D - Occupational health and environment controls. Section 1926.62 - Lead - construction. Code of Federal Regulations. 29 CFR 1926.62. <https://www.gpo.gov/fdsys/pkg/CFR-2016-title29-vol8/pdf/CFR-2016-title29-vol8-sec1926-62.pdf>. May 4, 2017.

8. REFERENCES

- OSHA. 2016d. Subpart Z - Toxic and hazardous substances. Lead - shipyards. Code of Federal Regulations. 29 CFR 1915.1025. <https://www.gpo.gov/fdsys/pkg/CFR-2016-title29-vol7/pdf/CFR-2016-title29-vol7-sec1915-1025.pdf>. March 6, 2017.
- OSHA. 2016e. Subpart D - Occupational health and environment controls. Section 1926.55 - Gases, vapors, fumes, dusts, and mists. Appendix A to Part 1926.55 - threshold limit values of airborne contaminants for construction. Code of Federal Regulations. 29 CFR 1926.55. <https://www.gpo.gov/fdsys/pkg/CFR-2016-title29-vol8/pdf/CFR-2016-title29-vol8-sec1926-55.pdf>. March 6, 2017.
- OSHA. 2016f. Subpart Z - Toxic and hazardous substances. Air contaminants. Table Z - Shipyards. Code of Federal Regulations. 29 CFR 1915.1000. <https://www.gpo.gov/fdsys/pkg/CFR-2016-title29-vol7/pdf/CFR-2016-title29-vol7-sec1915-1000.pdf>. March 6, 2017.
- Oskarsson A, Jorhem L, Sundberg J, et al. 1992. Lead poisoning in cattle - transfer of lead to milk. *Sci Total Environ* 111:83-94.
- Osman K, Pawlas K, Schutz A, et al. 1999. Lead exposure and hearing effects in children in Katowice, Poland. *Environ Res* 80 Section A:1-8.
- Osterberg E, Mayewski P, Kreutz K, et al. 2008. Ice core record of rising lead pollution in the North Pacific atmosphere. *Geophys Res Lett* 35(5):L05810. 10.1029/2007gl032680.
- Osterode W, Barnas U, Geissler K. 1999. Dose dependent reduction of erythroid progenitor cells and inappropriate erythropoietin response in exposure to lead: New aspects of anaemia induced by lead. *Occup Environ Med* 56:106-109.
- Otto D, Robinson G, Baumann S, et al. 1985. 5-year follow-up study of children with low-to-moderate lead absorption: Electrophysiological evaluation. *Environ Res* 38(1):168-186.
- Ou LT, Jing W, Thomas JE. 1995. Biological and chemical degradation of ionic ethyllead compounds in soil. *Environ Toxicol Chem* 14(4):545-551.
- Ou LT, Thomas JE, Jing W. 1994. Biological and chemical degradation of tetraethyl lead in soil. *Bull Environ Contam Toxicol* 52:238-245.
- Ozkaynak H, Xue J, Zartarian VG, et al. 2011. Modeled estimates of soil and dust ingestion rates for children. *Risk Anal* 31(4):592-608. 10.1111/j.1539-6924.2010.01524.x.
- Padilla MA, Elobeid M, Ruden DM, et al. 2010. An examination of the association of selected toxic metals with total and central obesity indices: NHANES 99-02. *Int J Environ Res Public Health* 7:3332-3347. 10.3390/ijerph7093332.
- Paglia D, Valentine W, Fink K. 1977. Lead poisoning. Further observations on erythrocyte pyrimidine-nucleotidase deficiency and intracellular accumulation of pyrimidine nucleotides. *J Clin Invest* 60(6):1362-1366.
- Paglia DE, N VW, Dahlgren JG. 1975. Effects of low-level lead exposure on pyrimidine 5'-nucleotidase and other erythrocyte enzymes. Possible role of pyrimidine 5'-nucleotidase in the pathogenesis of lead-induced anemia. *J Clin Invest* 56:1164-1169.
- Pagliuca A, Mufti GJ, Baldwin D, et al. 1990. Lead poisoning: Clinical, biochemical, and haematological aspects of a recent outbreak. *J Clin Pathol* 43:277-281.
- Palaniappan K, Roy A, Balakrishnan K, et al. 2011. Lead exposure and visual-motor abilities in children from Chennai, India. *Neurotoxicology* 32(4):465-470. 10.1016/j.neuro.2011.03.011.
- Palmer KT, Kucera CL. 1980. Lead contamination of sycamore and soil from lead mining and smelting operations in eastern Missouri. *J Environ Qual* 9(1):106-111.
- P'An AY. 1981. Lead levels in saliva and in blood. *J Toxicol Environ Health* 7(2):273-280. 10.1080/15287398109529978.
- PAN Pesticides Database. 2004. PAN Pesticides Database-Chemicals.
- Pan SY, Morrison H, Gibbons L, et al. 2011. Breast cancer risk associated with residential proximity to industrial plants in Canada. *J Occup Environ Med* 53(5):522-529. 10.1097/JOM.0b013e318216d0b3.

8. REFERENCES

- Parajuli RP, Fujiwara T, Umezaki M, et al. 2013. Association of cord blood levels of lead, arsenic, and zinc with neurodevelopmental indicators in newborns: A birth cohort study in Chitwan Valley, Nepal. *Environ Res* 121:45-51. 10.1016/j.envres.2012.10.010.
- Pardo R, Barrado E, Perez L, et al. 1990. Determination and speciation of heavy metals in sediments of the Pisuerga River. *Water Res* 24(3):373-379.
- Park SJ, Lee JH, Woo SJ, et al. 2015. Five heavy metallic elements and age-related macular degeneration: Korean National Health and Nutrition Examination Survey, 2008-2011. *Ophthalmology* 122(1):129-137. 10.1016/j.ophtha.2014.07.039.
- Park SK, Elmarsafawy S, Mukherjee B, et al. 2010. Cumulative lead exposure and age-related hearing loss: The VA Normative Aging Study. *Hear Res* 269(1-2):48-55. 10.1016/j.heares.2010.07.004.
- Park SK, Hu H, Wright RO, et al. 2009a. Iron metabolism genes, low-level lead exposure, and QT interval. *Environ Health Perspect* 117(1):80-85.
- Park SK, Mukherjee B, Xia X, et al. 2009b. Bone lead level prediction models and their application to examine the relationship of lead exposure and hypertension in the third National Health and Nutrition Examination Survey. *J Occup Environ Med* 51(12):1422-1436. 10.1097/JOM.0b013e3181bf6c8d.
- Park SK, Schwartz J, Weisskopf M, et al. 2006. Low-level lead exposure, metabolic syndrome, and heart rate variability: The VA Normative Aging Study. *Environ Health Perspect* 114:1718-1724.
- Parkinson DK, Hodgson MJ, Bromet EJ, et al. 1987. Occupational lead exposure and blood pressure. *Br J Ind Med* 44(11):744-748.
- Parkinson DK, Ryan C, Bromet EJ, et al. 1986. A psychiatric epidemiologic study of occupational lead exposure. *Am J Epidemiol* 123(2):261-269.
- Parramore CS, Morgan BW, Ethridge MW. 2001. Lead contaminated moonshine: A report of ATF analyzed samples. *J Toxicol Clin Toxicol* 39(5):520.
- Partanen T, Heikkila P, Hernberg S, et al. 1991. Renal cell cancer and occupational exposure to chemical agents. *Scand J Work Environ Health* 17(4):231-239.
- Pasternak MD, Becker CE, Lash A, et al. 1989. Cross-sectional neurotoxicology study of lead-exposed cohort. *Clin Toxicol* 27(1 and 2):37-51.
- Patel AB, Prabhu AS. 2009. Determinants of lead level in umbilical cord blood. *Indian Pediatr* 46(9):791-793.
- Patil AJ, Bhagwat VR, Patil JA, et al. 2006. Effect of lead (Pb) exposure on the activity of superoxide dismutase and catalase in battery manufacturing workers (BMW) of Western Maharashtra (India) with reference to heme biosynthesis. *Int J Environ Res Public Health* 3(4):329-337.
- Patil AJ, Bhagwat VR, Patil JA, et al. 2007. Occupational lead exposure in battery manufacturing workers, silver jewelry workers, and spray painters in western Maharashtra (India): Effect on liver and kidney function. *J Basic Clin Physiol Pharmacol* 18(2):87-100. 10.1515/JBCPP.2007.18.2.87.
- Pawlas N, Broberg K, Olewinska E, et al. 2012. Modification by the genes ALAD and VDR of lead-induced cognitive effects in children. *Neurotoxicology* 33:37-43.
- Pawlas N, Broberg K, Skerfving S, et al. 2014. Disturbance of posture in children with very low lead exposure, and modification by VDR FokI genotype. *Ann Agric Environ Med* 21(4):739-744. 10.5604/12321966.1129926.
- Pawlas N, Plachetka A, Kozlowska A, et al. 2015. Telomere length in children environmentally exposed to low-to-moderate levels of lead. *Toxicol Appl Pharmacol* 287(2):111-118. 10.1016/j.taap.2015.05.005.
- Pawlas N, Plachetka A, Kozlowska A, et al. 2016. Telomere length, telomerase expression, and oxidative stress in lead smelters. *Toxicol Ind Health* 32(12):1961-1970. 10.1177/0748233715601758.
- Payton M, Hu H, Sparrow D, et al. 1994. Low-level lead exposure and renal function in the Normative Aging Study. *Am J Epidemiol* 140(9):821-829.
- Payton M, Riggs KM, Sprio A, et al. 1998. Relations of bone and blood lead to cognitive function: The VA Normative Aging Study. *Neurotoxicol Teratol* 20(1):19-27.

8. REFERENCES

- PEHSU. 2013. Recommendations on medical management of childhood lead exposure and poisoning. Pediatric Environmental Health Specialty Units.
- Pekcici R, Kavlakoğlu B, Yilmaz S, et al. 2010. Effects of lead on thyroid functions in lead-exposed workers. *Cent Eur J Med* 5(2):215-218. 10.2478/s11536-009-0092-8.
- Pellizzari ED, Perritt RL, Clayton CA. 1999. National Human Exposure Assessment Survey (NHEXAS): Exploratory survey of exposure among population subgroups in EPA region V. *J Expo Anal Environ Epidemiol* 9:49-55.
- Peralta-Videa JR, Lopez ML, Narayan M, et al. 2009. The biochemistry of environmental heavy metal uptake by plants: Implications for the food chain. *Int J Biochem Cell Biol* 41(8-9):1665-1677. 10.1016/j.biocel.2009.03.005.
- Pergande M, Jung K, Precht S, et al. 1994. Changed excretion or urinary proteins and enzymes by chronic exposure to lead. *Nephrol Dial Transplant* 9:613-618.
- Perkins M, Wright RO, Amarasiriwardena CJ, et al. 2014. Very low maternal lead level in pregnancy and birth outcomes in an eastern Massachusetts population. *Ann Epidemiol* 24(12):915-919. 10.1016/j.annepidem.2014.09.007.
- Perlstein T, Weuve J, Schwartz J, et al. 2007. Cumulative community-level lead exposure and pulse pressure: The Normative Aging Study. *Environ Health Perspect* 115(12):1696-1700. 10.1289/ehp.10350.
- Perneger TV, Nieto FJ, Whelton PK, et al. 1993. A prospective study of blood pressure and serum creatinine: Results from the 'Clue' Study and the ARIC Study. *J Am Med Assoc* 269:488-493.
- Perroy RL, Belby CS, Mertens CJ. 2014. Mapping and modeling three dimensional lead contamination in the wetland sediments of a former trap-shooting range. *Sci Total Environ* 487:72-81. 10.1016/j.scitotenv.2014.03.102.
- Peryea FJ. 1998. Historical use of lead arsenate insecticides, resulting soil contamination and implications for soil remediation. Proceedings of the 16th World Congress of Soil Science, Montpellier, France, 20-26 August 1998.
- Pesch B, Haerting J, Ranft U, et al. 2000. Occupational risk factors for renal cell carcinoma: Agent-specific results from a case-control study in Germany. *Int J Epidemiol* 29:1014-1024.
- Peters JL, Kubzansky L, McNeely E, et al. 2007. Stress as a potential modifier of the impact of lead levels on blood pressure: The Normative Aging Study. *Environ Health Perspect* 115(8):1154-1159. 10.1289/ehp.10002.
- Petrucci R, Leonardi A, Battistuzzi G. 1982. The genetic polymorphism of δ-aminolevulinate dehydrase in Italy. *Hum Genet* 60(3):289-290.
- Pierzynski GM, Schwab AP. 1993. Heavy metals in the environment. Bioavailability of zinc, cadmium, and lead in a metal-contaminated alluvial soil. *J Environ Qual* 22:247-254.
- Pilsner JR, Hu H, Ettinger A, et al. 2009. Influence of prenatal lead exposure on genomic methylation of cord blood DNA. *Environ Health Perspect* 117(9):1466-1471. 10.1289/ehp.0800497.
- Pineda-Zavaleta AP, García-Vargas G, Borja-Aburto VH, et al. 2004. Nitric oxide and superoxide anion production in monocytes from children exposed to arsenic and lead in region Lagunera, Mexico. *Toxicol Appl Pharmacol* 198(3):283-290. 10.1016/j.taap.2003.10.034.
- Pingitore NE, Jr., Clague JW, Amaya MA, et al. 2009. Urban airborne lead: X-ray absorption spectroscopy establishes soil as dominant source. *PLoS ONE* 4(4):e5019. 10.1371/journal.pone.0005019.
- Pinkerton LE, Biagini RE, Ward EM, et al. 1998. Immunologic findings among lead-exposed workers. *Am J Ind Med* 33(4):400-408. 10.1002/(SICI)1097-0274(199804)33:4<400::AID-AJIM11>3.0.CO;2-2.
- Pinto D, Ceballos JM, García G, et al. 2000. Increased cytogenetic damage in outdoor painters. *Mutat Res* 467(2):105-111. 10.1016/S1383-5718(00)00024-3.
- Pinto de Almeida AR, Carvalho FM, Spinola AG, et al. 1987. Renal dysfunction in Brazilian lead workers. *Am J Nephrol* 7(6):455-458.

8. REFERENCES

- Piomelli S, Seaman C, Zullow D, et al. 1982. Threshold for lead damage to heme synthesis in urban children. *Proc Natl Acad Sci USA* 79:3335-3339.
- Pirkle JL, Brody DJ, Gunter EW, et al. 1994. The decline in blood lead levels in the United States. The National Health and Nutrition Examination Surveys (NHANES). *J Am Med Assoc* 272(4):284-291.
- Pirkle JL, Kaufmann RB, Brody DJ, et al. 1998. Exposure of the U.S. population to lead, 1991-1994. *Environ Health Perspect* 106(11):745-750.
- Pirkle JL, Schwartz J, Landis JR, et al. 1985. The relationship between blood lead levels and blood pressure and its cardiovascular risk implications. *Am J Epidemiol* 121(2):246-258.
- Pizent A, Macan J, Jurasović J, et al. 2008. Association of toxic and essential metals with atopy markers and ventilatory lung function in women and men. *Sci Total Environ* 390(2-3):369-376. 10.1016/j.scitotenv.2007.10.049.
- Pocock SJ, Shaper AG, Ashby D, et al. 1984. Blood lead concentration, blood pressure, and renal function. *Br Med J* 289:872-874.
- Pocock SJ, Shaper AG, Ashby D, et al. 1988. The relationship between blood lead, blood pressure, stroke, and heart attacks in middle-aged British men. *Environ Health Perspect* 78:23-30.
- Pocock SJ, Shaper AG, Walker M, et al. 1983. Effects of tap water lead, water hardness, alcohol, and cigarettes on blood lead concentrations. *J Epidemiol Community Health* 37:1-7.
- Pollack AZ, Mumford SL, Mendola P, et al. 2015. Kidney biomarkers associated with blood lead, mercury, and cadmium in premenopausal women: A prospective cohort study. *J Toxicol Environ Health A* 78(2):119-131. 10.1080/15287394.2014.944680.
- Pollack AZ, Mumford SL, Wactawski-Wende J, et al. 2013. Bone mineral density and blood metals in premenopausal women. *Environ Res* 120:76-81.
- Pollack AZ, Schisterman EF, Goldman LR, et al. 2011. Cadmium, lead, and mercury in relation to reproductive hormones and anovulation in premenopausal women. *Environ Health Perspect* 119(8):1156-1161. 10.1289/ehp.1003284.
- Popovic M, McNeill FE, Chettle DR, et al. 2005. Impact of occupational exposure on lead levels in women. *Environ Health Perspect* 113(4):478-484.
- Poreba R, Gac P, Poreba M, et al. 2012. Assessment of cardiovascular risk in workers occupationally exposed to lead without clinical presentation of cardiac involvement. *Environ Toxicol Pharmacol* 31(2):351-357. 10.1016/j.etap.2012.05.008.
- Poreba R, Gac P, Poreba M, et al. 2013. Echocardiographic assessment of myocardial function in workers occupationally exposed to lead without clinically evident heart disease. *Environ Toxicol Pharmacol* 32(2):522-528. 10.1016/j.etap.2013.05.010.
- Poreba R, Poreba M, Gać P, et al. 2011. Ambulatory blood pressure monitoring and structural changes in carotid arteries in normotensive workers occupationally exposed to lead. *Hum Exp Toxicol* 30(9):1174-1180. 10.1177/0960327110391383.
- Pounds J, Marlar R, Allen J. 1978. Metabolism of lead-210 in juvenile and adult Rhesus monkeys (*Macaca mulatta*). *Bull Environ Contam Toxicol* 19(1):684-691.
- Pounds JG, Leggett RW. 1998. The ICRP age-specific biokinetic model for lead: Validations, empirical comparisons, and explorations. *Environ Health Perspect* 106(Suppl 6):1505-1511.
- Power MC, Korrick S, Tchetgen EJ, et al. 2014. Lead exposure and rate of change in cognitive function in older women. *Environ Res* 129:69-75. 10.1016/j.envres.2013.12.010.
- Presley SM, Abel MT, Austin GP, et al. 2010. Metal concentrations in schoolyard soils from New Orleans, Louisiana before and after hurricanes Katrina and Rita. *Chemosphere* 80(1):67-73. 10.1016/j.chemosphere.2010.03.031.
- Proctor SP, Rotnitzky A, Sparrow D, et al. 1996. The relationship of blood lead and dietary calcium to blood pressure in the Normative Aging Study. *Int J Epidemiol* 25(3):528-536.
- Pugh Smith P, Nriagu JO. 2011. Lead poisoning and asthma among low-income and African American children in Saginaw, Michigan. *Environ Res* 111(1):81-86. 10.1016/j.envres.2010.11.007.

8. REFERENCES

- Queirolo EI, Ettinger AS, Stoltzfus RJ, et al. 2010. Association of anemia, child and family characteristics with elevated blood lead concentrations in preschool children from Montevideo, Uruguay. *Arch Environ Occup Health* 65(2):94-100. 10.1080/19338240903390313.
- Queiroz MLS, Almeida M, Gallão MI, et al. 1993. Defective neutrophil function in workers occupationally exposed to lead. *Pharmacol Toxicol* 72(2):73-77. 10.1111/j.1600-0773.1993.tb00293.x.
- Queiroz MLS, Costa FF, Bincoletto C, et al. 1994a. Engulfment and killing capabilities of neutrophils and phagocytic splenic function in persons occupationally exposed to lead. *Int J Immunopharmacol* 16(3):239-244. 10.1016/0192-0561(94)90018-3.
- Queiroz MLS, Perlingeiro RCR, Bincoletto C, et al. 1994b. Immunoglobulin levels and cellular immune function in lead exposed workers. *Immunopharmacol Immunotoxicol* 16(1):115-128. 10.3109/08923979409029904.
- Rabinowitz M, Bellinger D, Leviton A, et al. 1987. Pregnancy hypertension, blood pressure during labor, and blood lead levels. *Hypertension* 10:447-451.
- Rabinowitz M, Leviton A, Bellinger D. 1985. Home refinishing, lead paint and infant blood lead levels. *Am J Public Health* 75(4):403-404.
- Rabinowitz MB. 1995. Relating tooth and blood lead levels in children. *Bull Environ Contam Toxicol* 55:853-857.
- Rabinowitz MB, Allred EN, Bellinger DC, et al. 1990. Lead and childhood propensity to infectious and allergic disorders: Is there an association? *Bull Environ Contam Toxicol* 44(5):657-660. 10.1007/BF01701784.
- Rabinowitz MB, Kopple JD, Wetherill GW. 1980. Effect of food intake and fasting on gastrointestinal lead absorption in humans. *Am J Clin Nutr* 33:1784-1788.
- Rabinowitz MB, Wetherill GW, Kopple JD. 1976. Kinetic analysis of lead metabolism in healthy humans. *J Clin Invest* 58:260-270.
- Rabito FA, Kocak M, Werthmann DW, et al. 2014. Changes in low levels of lead over the course of pregnancy and the association with birth outcomes. *Reprod Toxicol* 50:138-144. 10.1016/j.reprotox.2014.10.006.
- Rajan P, Kelsey KT, Schwartz JD, et al. 2007. Lead burden and psychiatric symptoms and the modifying influence of the δ-aminolevulinic acid dehydratase (ALAD) polymorphism: The VA Normative Aging Study. *Am J Epidemiol* 166(12):1400-1408. 10.1093/aje/kwm220.
- Rajan P, Kelsey KT, Schwartz JD, et al. 2008. Interaction of the δ-aminolevulinic acid dehydratase polymorphism and lead burden on cognitive function: The VA Normative Aging Study. *J Occup Environ Med* 50(9):1053-1061. 10.1097/JOM.0b013e3181792463.
- Rajaraman P, Stewart PA, Samet JM, et al. 2006. Lead, genetic susceptibility, and risk of adult brain tumors. *Cancer Epidemiol Biomarkers Prev* 15(12):2514-2520. 10.1158/1055-9965.EPI-06-0482.
- Rapisarda V, Ledda C, Ferrante M, et al. 2016. Blood pressure and occupational exposure to noise and lead (Pb): A cross-sectional study. *Toxicol Ind Health* 32(10):1729-1736. 10.1177/0748233715576616.
- Ravnskov U. 1992. Cholesterol lowering trials in coronary heart disease: Frequency of citation and outcome. *Br Med J* 305:15-19.
- Raymond J, Brown MJ. 2015a. Childhood blood lead levels - United States, 2007-2012 [Erratum: MMWR 64(45):1277]. *MMWR Morb Mortal Wkly Rep* 62(54):76-80. 10.15585/mmwr.mm6254a5.
- Raymond J, Brown MJ. 2015b. Childhood blood lead levels - United States, 2007-2012 [Erratum to: MMWR 62(54):76-80]. *MMWR Morb Mortal Wkly Rep* 64(45):1277.
- Raymond J, Brown MJ. 2017. Childhood blood lead levels in children aged <5 years - United States, 2009-2014. *MMWR Morb Mortal Wkly Rep* 66(3):1-7.
- Reddy KJ, Wang L, Gloss SP. 1995. Solubility and mobility of copper, zinc, and lead in acidic environments. *Plant Soil* 171:53-58.

8. REFERENCES

- Reddy YS, Y A, Ramalaksmi BA, et al. 2014. Lead and trace element levels in placenta, maternal and cord blood: A cross-sectional pilot study. *J Obstet Gynaecol Res* 40(12):2184-2190. 10.1111/jog.12469.
- Reed BE, Moore RE, Cline SR. 1995. Soil flushing of a sandy loam contaminated with Pb(II), PbS04 (s), PbCo3 (3) or Pb-naphthalene: Column results. *J Soil Contam* 4(3):243-267.
- Rees DC, Duley JA, Marinaki AM. 2003. Pyrimidine 5' nucleotidase deficiency. *Br J Haematol* 120(3):375-383.
- Reimer W, Tittelbach U. 1989. Verhalten von herzfrequenz, blutdruck und systolischen zeitintervallen in ruhe und wahrend einhandarbeit bei bleiexponierten und kontrollpersonen. *Z Gesamte Hyg* 35:491-492. (German)
- Rentschler G, Broberg K, Lundh T, et al. 2012. Long-term lead elimination from plasma and whole blood after poisoning. *Int Arch Occup Environ Health* 85(3):311-316. 10.1007/s00420-011-0673-0.
- Rezende VB, Barbosa F, Montenegro MF, et al. 2008. Haplotypes of vitamin D receptor modulate the circulating levels of lead in exposed subjects. *Arch Toxicol* 82:29-36.
- Rhoads GG, Ettinger AS, Weisel CP, et al. 1999. The effect of dust lead control on blood lead in toddlers: A randomized trial. *Pediatrics* 103(3):551-555.
- Rhodes D, Spiro III A, Aro A, et al. 2003. Relationship of bone and blood lead levels to psychiatric symptoms: The Normative Aging Study. *J Occup Environ Med* 45(11):1144-1151.
- Richter PA, Bishop EE, Wang J, et al. 2013. Trends in tobacco smoke exposure and blood lead levels among youths and adults in the United States: The National Health and Nutrition Examination Survey, 1999-2008. *Prev Chronic Dis* 10 10.588/pcd10.130056.
- Riddell TJ, Solon O, Quimbo SA, et al. 2007. Elevated blood-lead levels among children living in the rural Philippines. *Bull World Health Org* 85(9):674-680.
- Riedt CS, Buckley BT, Brolin RE, et al. 2009. Blood lead levels and bone turnover with weight reduction in women. *J Expo Sci Environ Epidemiol* 19:90-96.
- Ris MD, Dietrich KN, Succop PA, et al. 2004. Early exposure to lead and neuropsychological outcome in adolescence. *J Int Neuropsychol Soc* 10(2):261-270. 10.1017/S1355617704102154.
- Risch HA, Burch JD, Miller AB, et al. 1988. Occupational factors and the incidence of cancer of the bladder in Canada. *Br J Ind Med* 45:361-367.
- Robins JM, Cullen MR, Connors BB, et al. 1983. Depressed thyroid indexes associated with occupational exposure to inorganic lead. *Arch Intern Med* 143:220-224.
- Robinson G, Baumann S, Kleinbaum D, et al. 1985. Effects of low to moderate lead exposure on brainstem auditory evoked potentials in children. Neurobehavioural methods in occupational and environmental health: Extended Abstracts from the Second International Symposium, Copenhagen, 6-9 August 1985, 3:177-182.
- Rodamilans M, Osaba MJ, To-Figueras J, et al. 1988. Lead toxicity on endocrine testicular function in an occupationally exposed population. *Hum Toxicol* 7:125-128.
- Rodrigues JL, Batista BL, Nunes JA, et al. 2008. Evaluation of the use of human hair for biomonitoring the deficiency of essential and exposure to toxic elements. *Sci Total Environ* 405(1-3):370-376. 10.1016/j.scitotenv.2008.06.002.
- Roels H, Lauwerys R. 1987. Evaluation of dose-effect and dose-response relationships for lead exposure in different Belgian population groups (fetus, child, adult men and women). *Trace Elem Med* 4(2):80-87.
- Roels H, Buchet JP, Lauwerys R, et al. 1976. Impact of air pollution by lead on the heme biosynthetic pathway in school-age children. *Arch Environ Health Nov/Dec*:310-315.
- Roels H, Konings J, Green S, et al. 1995. Time-integrated blood lead concentration is a valid surrogate for estimating the cumulative lead dose assessed by tibial lead measurement. *Environ Res* 69(2):75-82.
- Roels H, Lauwerys R, Buchet J, et al. 1975. Response of free erythrocyte porphyrin and urinary δ-aminolevulinic acid in men and women moderately exposed to lead. *Int Arch Occup Environ Health* 34(2):97-108.

8. REFERENCES

- Roels H, Lauwerys R, Konings J, et al. 1994. Renal function and hyperfiltration capacity in lead smelter workers with high bone lead. *Occup Environ Med* 51:505-512.
- Roels HA, Balis-Jacques MN, Buchet J-P, et al. 1979. The influence of sex and of chelation therapy on erythrocyte protoporphyrin and urinary δ -aminolevulinic acid in lead-exposed workers. *J Occup Environ Med* 21(8):527-539.
- Rokadia H, Agarwal S. 2013. Serum heavy metals and obstructive lung disease: Results from the National Health and Nutrition Examination Survey. *Chest* 143(2):388-397. 10.1378/chest.12-0595.
- Romeo R, Aprea C, Boccalon P, et al. 1996. Serum erythropoietin and blood lead concentrations. *Int Arch Occup Environ Health* 69:73-75.
- Ronco AM, Gutierrez Y, Gras N, et al. 2010. Lead and arsenic levels in women with different body mass composition. *Biol Trace Elem Res* 136:269-278. 10.1007/s12011-009-8546-z.
- Rooney CP, McLaren RG, Condon LM. 2007. Control of lead solubility in soil contaminated with lead shot: Effect of soil pH. *Environ Pollut* 149:149-157. 10.1016/j.envpol.2007.01.009.
- Root RA. 2000. Lead loading of urban streets by motor vehicle wheel weights. *Environ Health Perspect* 108(10):937-940.
- Roscoe RJ, Gittleman JL, Deddens JA, et al. 1999. Blood lead levels among children of lead-exposed workers: A meta-analysis. *Am J Med* 36(4):475-481.
- Rosen JF, Chesney RW, Hamstra A, et al. 1980. Reduction in 1,25-dihydroxyvitamin D in children with increased lead absorption. *N Engl J Med* 302(20):1128-1131.
- Rosenman KD, Sims A, Luo Z, et al. 2003. Occurrence of lead-related symptoms below the current occupational safety and health act allowable blood lead levels. *J Occup Environ Med* 45(5):546-555.
- Rothenberg SJ, Kondrashov V, Manalo M, et al. 2002b. Increases in hypertension and blood pressure during pregnancy with increased bone lead levels. *Am J Epidemiol* 156(12):1079-1087.
- Rothenberg SJ, Schnaas L, Cansino-Ortiz S, et al. 1989. Neurobehavioral deficits after low level lead exposure in neonates: The Mexico City pilot study. *Neurotoxicol Teratol* 11:85-93.
- Rothenberg SJ, Schnaas L, Salgado-Valladares M, et al. 2002a. Increased ERG a-and b-wave amplitudes in 7-to 10-year-old children resulting from prenatal lead exposure. *Invest Ophthalmol Visual Sci* 43(6):2036-2044.
- Rousseau MC, Parent ME, Nadon L, et al. 2007. Occupational exposure to lead compounds and risk of cancer among men: A population-based case-control study. *Am J Epidemiol* 166(9):1005-1014. 10.1093/aje/kwm183.
- Roussel H, Waterlot C, Pelfrene A, et al. 2010. Cd, Pb and Zn oral bioaccessibility of urban soils contaminated in the past by atmospheric emissions from two lead and zinc smelters. *Arch Environ Contam Toxicol* 58(4):945-954. 10.1007/s00244-009-9425-5.
- Roy A, Bellinger D, Hu H, et al. 2009. Lead exposure and behavior among young children in Chennai, India. *Environ Health Perspect* 117(10):1607-1611. 10.1289/ehp.0900625.
- Roy A, Ettinger AS, Hu H, et al. 2013. Effect modification by transferrin C2 polymorphism on lead exposure, hemoglobin levels, and IQ. *Neurotoxicology* 38:17-22. 10.1016/j.neuro.2013.05.005.
- Roy A, Hu H, Bellinger DC, et al. 2011. Hemoglobin, lead exposure, and intelligence quotient: Effect modification by the DRD2 Taq IA polymorphism. *Environ Health Perspect* 119(1):144-149. 10.1289/ehp.0901878.
- RTECS. 2015. Lead and lead compounds. Registry of Toxic Effects on Chemical Substances. National Institute for Occupational Safety and Health. MDL Information Systems, Inc. <http://ccinfoweb.ccohs.ca/rtecs/search.html>. April 06, 2016.
- Ruby MV, Schoof R, Brattin W, et al. 1999. Advances in evaluating the oral bioavailability of inorganics in soil for use in human health risk assessment. *Environ Sci Technol* 33(21):3697-3705.
- Ryan JA, Scheckel KG, Berti WR, et al. 2004. Reducing children's risk from lead in soil. *Environ Sci Technol* 38:19A-24A.
- Ryan PB, Huet N, MacIntosh DL. 2000. Longitudinal investigation of exposure to arsenic, cadmium, and lead in drinking water. *Environ Health Perspect* 108(8):731-735.

8. REFERENCES

- Ryu JE, Ziegler EE, Nelson SE, et al. 1983. Dietary intake of lead and blood lead concentration in early infancy. *Am J Dis Child* 137:886-891.
- Sabin LD, Schiff KC. 2008. Dry atmospheric deposition rates of metals along a coastal transect in southern California. *Atmos Environ* 42(27):6606-6613. 10.1016/j.atmosenv.2008.04.042.
- Sabin LD, Lim JH, Stolzenbach KD, et al. 2006. Atmospheric dry deposition of trace metals in the coastal region of Los Angeles, California, USA. *Environ Toxicol Chem* 25(9):2334-2341. 10.1897/05-300r.1.
- Sadeghniat-Haghghi K, Saraie M, Ghasemi M, et al. 2013. Assessment of peripheral neuropathy in male hospitalized patients with lead toxicity in Iran. *J Res Med Sci* 18(1):6-9.
- Sakat S, Barnes B, Westwood D. 2007. A review of laboratory results for bioaccessibility values of arsenic, lead and nickel in contaminated UK soils. *J Environ Sci Health, Part A* 42(9):1213-1221. 10.1080/10934520701435486.
- Sakai T. 2000. Biomarkers of lead exposure. *Ind Health* 38:127-142.
- Sakai T, Morita Y. 1996. δ -Aminolevulinic acid in plasma or whole blood as a sensitive indicator of lead effects, and its relation to the other heme-related parameters. *Int Arch Occup Environ Health* 68:126-132.
- Sakai T, Morita Y, Araki T, et al. 2000. Relationship between δ -aminolevulic acid dehydratase genotypes and heme precursors in lead workers. *Am J Ind Med* 38:355-360.
- Sakai T, Yanagihara S, Kunugi Y, et al. 1982. Relationships between distribution of lead in erythrocytes *in vivo* and *in vitro* and inhibition of ALA-D. *Br J Ind Med* 39:382-387.
- Sakai T, Yanagihara S, Kunugi Y, et al. 1983. Mechanisms of ALA-D inhibition by lead and of its restoration by zinc and dithiothreitol. *Br J Ind Med* 40:61-66.
- Sakata S, Shimizu S, Ogoshi K, et al. 2007. Inverse relationship between serum erythropoietin and blood lead concentrations in Kathmandu tricycle taxi drivers. *Int Arch Occup Environ Health* 80(4):342-345. 10.1007/s00420-006-0125-4.
- Sallmen M, Anttila A, Lindbohm ML, et al. 1995. Time to pregnancy among women occupationally exposed to lead. *J Occup Environ Med* 37(8):931-934.
- Sallmén M, Lindbohm M-L, Nurminen M. 2000. Paternal exposure to lead and infertility. *Epidemiology* 11(2):148-152.
- Sanin LH, Gonzalez-Cossio T, Romieu I, et al. 2001. Effect of maternal lead burden on infant weight and weight gain at one month of age among breastfed infants. *Pediatrics* 107(5):1016-1023.
- Sankila R, Karjalainen A, Pukkala E, et al. 1990. Cancer risk among glass factory workers: An excess of lung cancer? *Br J Ind Med* 47:815-818.
- Sanna E, Vallascas E. 2011. Hair lead levels to evaluate the subclinical impact of lead on growth in Sardinian children (Italy). *Am J Hum Biol* 23(6):740-746. 10.1002/ajhb.21203.
- Santibanez M, Vioque J, Alguacil J, et al. 2008. Occupational exposures and risk of oesophageal cancer by histological type: A case-control study in eastern Spain. *Occup Environ Med* 65(11):774-781. 10.1136/oem.2007.037929.
- Sarasua SM, Vogt RF, Henderson LO, et al. 2000. Serum immunoglobulins and lymphocyte subset distributions in children and adults living in communities assessed for lead and cadmium exposure. *J Toxicol Environ Health Part A* 60(1):1-15. 10.1080/009841000156556.
- Sata F, Araki S, Tanigawa T, et al. 1998. Changes in T cell subpopulations in lead workers. *Environ Res* 76(1):61-64.
- Sauve S, McBride MB, Hendershot WH. 1997. Speciation of lead in contaminated soils. *Environ Pollut* 98(2):149-155.
- Schalscha EB, Morales M, Pratt PF. 1987. Lead and molybdenum in soils and forage near an atmospheric source. *J Environ Qual* 16(4):313-315.
- Schaumberg DA, Mendes F, Balaram M, et al. 2004. Accumulated lead exposure and risk of age-related cataract in men. *JAMA* 292(22):2750-2754.

8. REFERENCES

- Schell LM, Denham M, Stark AD, et al. 2004. Relationship between blood lead concentration and dietary intakes of infants from 3 to 12 months of age. *Environ Res* 96(3):264-273. 10.1016/j.envres.2004.02.008.
- Schell LM, Denham M, Stark AD, et al. 2009. Growth of infants' length, weight, head and arm circumferences in relation to low levels of blood lead measured serially. *Am J Hum Biol* 21(2):180-187. 10.1002/ajhb.20842.
- Schmitt CJ, Brumbaugh WG. 1990. National contaminant biomonitoring program: Concentrations of arsenic, cadmium, copper, lead, mercury, selenium, and zinc in U.S. freshwater fish, 1976-1984. *Arch Environ Contam Toxicol* 19:731-747.
- Schmitt MDC, Trippler DJ. 1988. Soil lead concentrations in residential Minnesota as measured by ICP-AES. *Water Air Soil Pollut* 39:157-168.
- Schnaas L, Rothenberg SJ, Flores MF, et al. 2004. Blood lead secular trend in a cohort of children in Mexico City (1987-2002). *Environ Health Perspect* 112(10):1110-1115.
- Schnaas L, Rothenberg SJ, Flores MF, et al. 2006. Reduced intellectual development in children with prenatal lead exposure. *Environ Health Perspect* 114(5):791-797. 10.1289/ehp.8552.
- Schnaas L, Rothenberg SJ, Perroni E, et al. 2000. Temporal pattern in the effect of postnatal blood lead level on intellectual development of young children. *Neurotoxicol Teratol* 22:805-810.
- Schober SE, Mirel LB, Graubard BI, et al. 2006. Blood lead levels and death from all causes, cardiovascular disease, and cancer: Results from the NHANES III Mortality Study. *Environ Health Perspect* 114(10):1538-1541.
- Schroeder HA, Tipton IH. 1968. The human body burden of lead. *Arch Environ Health* 17(6):965-978.
- Schuhmacher M, Paternain JL, Domingo JL, et al. 1997. An assessment of some biomonitoring indicative of occupational exposure to lead. *Trace Elem Electrolytes* 14(3):145-149.
- Schumacher C, Brodkin CA, Alexander B, et al. 1998. Thyroid function in lead smelter workers: Absence of subacute or cumulative effects with moderate lead burdens. *Int Arch Occup Environ Health* 71(7):453-458.
- Schutz A, Bergdahl IA, Ekholm A, et al. 1996. Measurement by ICP-MS of lead in plasma and whole blood of lead workers and controls. *Occup Environ Med* 53:736-740.
- Schutz A, Skerfving S, Ranstam J, et al. 1987. Kinetics of lead in blood after the end of occupational exposure. *Scand J Work Environ Health* 13:221-231.
- Schwanitz G, Gebhart E, Rott H-D, et al. 1975. Chromosomenuntersuchungen bei Personen mit beruflicher Bleiexposition. *DMW-Deutsche Medizinische Wochenschrift* 100(18):1007-1011.
- Schwanitz G, Leininert G, Gebhart E. 1970. Chromosome damage after occupational exposure to lead. *Dtsch Med Wochenschr* 95(32):1636-1641.
- Schwartz BS, Lee BK, Bandeen-Roche K, et al. 2005. Occupational lead exposure and longitudinal decline in neurobehavioral test scores. *Epidemiology* 16(1):106-113. 10.1097/ede.0000147109.62324.51.
- Schwartz BS, Lee B, Lee G, et al. 2001. Associations of blood lead, dimercaptosuccinic acid-chelatable lead, and tibia lead with neurobehavioral test scores in South Korean lead workers. *Am J Epidemiol* 153(5):453-464.
- Schwartz BS, Lee BK, Lee G-S, et al. 2000a. Associations of blood lead, dimercaptosuccinic acid-chelatable lead, and tibia lead with polymorphisms in the vitamin D receptor and δ -aminolevulinic acid dehydratase genes. *Environ Health Perspect* 108(10):949-954.
- Schwartz BS, Lee BK, Stewart W, et al. 1995. Associations of δ -aminolevulinic acid dehydratase genotype with plant, exposure duration, and blood lead and zinc protoporphyrin levels in Korean lead workers. *Am J Epidemiol* 142(7):738-745.
- Schwartz BS, Lee BK, Stewart W, et al. 1997a. Associations of subtypes of hemoglobin with δ -aminolevulinic acid dehydratase genotype and dimercaptosuccinic acid-chelatable lead levels. *Arch Environ Health* 52(2):97-103.

8. REFERENCES

- Schwartz BS, Lee BK, Stewart W, et al. 1997b. δ-Aminolevulinic acid dehydratase genotype modifies four hour urinary lead excretion after oral administration of dimercaptosuccinic acid. *Occup Environ Med* 54(4):241-246.
- Schwartz BS, Stewart W, Bolla K, et al. 2000b. Past adult lead exposure is associated with longitudinal decline in cognitive function. *Neurology* 55(8):1144-1150.
- Schwartz BS, Stewart WF, Todd AC, et al. 2000c. Different associations of blood lead, meso 2,3-dimercaptosuccinic acid (DMSA)-chelatable lead, and tibial lead levels with blood pressure in 543 organolead manufacturing workers. *Arch Environ Health* 55:85-92.
- Schwartz J. 1995. Lead, blood pressure, and cardiovascular disease in men. *Arch Environ Health* 50(1):31-37.
- Schwartz J, Otto D. 1987. Blood lead, hearing threshold, and neurobehavioral development in children and youth. *Arch Environ Health* 42(2; 2):153-160.
- Schwartz J, Otto D. 1991. Lead and minor hearing impairment. *Arch Environ Health* 46(5):300-305.
- Schwartz J, Pitcher H. 1989. The relationship between gasoline lead and blood lead in the United States. *J Off Stat* 5:421-431.
- Schwartz J, Landrigan PJ, Baker EL, et al. 1990. Lead-induced anemia: Dose-response relationships and evidence for a threshold. *Am J Public Health* 80(2):165-168.
- Schwartz J, Landrigan PJ, Feldman RG, et al. 1988. Threshold effect in lead-induced peripheral neuropathy. *J Pediatr* 112:12-17.
- Scinicariello F, Abadin HG, Murray HE. 2011. Association of blood lead and blood pressure in the NHANES 1999-2006. *Environ Res* 111(8):1249-1257.
- Scinicariello F, Buser MC, Mevissen M, et al. 2013. Blood lead level association with lower body weight in NHANES 1999-2006. *Toxicol Appl Pharmacol* 273(3):516-523. 10.1016/j.taap.2013.09.022.
- Scinicariello F, Buser MC. 2015. Blood cadmium and depressive symptoms in young adults (aged 20-39 years). *Psychol Med* 45(4):807-815.
- Scinicariello F, Murray HE, Moffett DB, et al. 2007. Lead and δ-aminolevulinic acid dehydratase polymorphism: Where does it lead? A meta-analysis. *Environ Health Perspect* 115(1):35-41. 10.1289/ehp.9448.
- Scinicariello F, Yesupriya A, Chang MH, et al. 2010. Modification by ALAD of the association between blood lead and blood pressure in the U.S. population: Results from the Third National Health and Nutrition Examination Survey. *Environ Health Perspect* 118(2):259-264. 10.1289/ehp.0900866.
- Sears ME, Kerr KJ, Bray RI. 2012. Arsenic, cadmium, lead, and mercury in sweat: A systematic review. *J Environ Public Health* 2012:184745. 10.1155/2012/184745.
- Secchi GC, Erba L, Cambiaghi G. 1974. δ-Aminolevulinic dehydratase activity of erythrocytes and liver tissue in man. Relationship to lead exposure. *Arch Environ Health* 28:130-132.
- Sedman RM, Mahmood RJ. 1994. Soil ingestion by children and adults reconsidered using the results of recent tracer studies. *Air Waste* 44(2):141-144.
- Seegal RF, Fitzgerald EF, McCaffrey RJ, et al. 2013. Tibial bone lead, but not serum polychlorinated biphenyl, concentrations are associated with neurocognitive deficits in former capacitor workers. *J Occup Environ Med* 55(5):552-562. 10.1097/JOM.0b013e318285f3fd.
- Selevan SG, Landrigan PJ, Stern FB, et al. 1985. Mortality of lead smelter workers. *Am J Epidemiol* 122:673-683.
- Selevan SG, Rice DC, Hogan KA, et al. 2003. Blood lead concentration and delayed puberty in girls. *N Engl J Med* 348(16):1527-1536. 10.1056/NEJMoa020880.
- Selonen S, Liiri M, Strommer R, et al. 2012. The fate of lead at abandoned and active shooting ranges in a boreal pine forest. *Environ Toxicol Chem* 31(12):2771-2779. 10.1002/etc.1998.
- Seo J, Lee BK, Jin SU, et al. 2014. Lead-induced impairments in the neural processes related to working memory function. *PLoS ONE* 9(8):e105308. 10.1371/journal.pone.0105308.
- Seto DSY, Freeman JM. 1964. Lead neuropathy in childhood. *Am J Dis Child* 107:337-342.

8. REFERENCES

- Shah F, Kazi TG, Afzadi HI, et al. 2010. Environmental exposure of lead and iron deficit anemia in children age ranged 1-5 years: A cross sectional study. *Sci Total Environ* 408(22):5325-5330. 10.1016/j.scitotenv.2010.07.091.
- Shah F, Kazi TG, Afzadi HI, et al. 2011. The influence of environmental exposure on lead concentrations in scalp hair of children in Pakistan. *Ecotoxicol Environ Saf* 74(4):727-732. 10.1016/j.ecoenv.2010.10.036.
- Shaheen SM, Tsadilas CD. 2009. Concentration of lead in soils and some vegetable plants in north Nile Delta as affected by soil type and irrigation water. *Commun Soil Sci Plant Anal* 40(1-6):327-344.
- Shaik AP, Jamil K. 2009. Individual susceptibility and genotoxicity in workers exposed to hazardous materials like lead. *J Hazard Mater* 168(2-3):918-924. 10.1016/j.jhazmat.2009.02.129.
- Shao W, Liu Q, He X, et al. 2017. Association between level of urinary trace heavy metals and obesity among children aged 6-19 years: NHANES 1999-2011. *Environ Sci Pollut Res Int* 24:11573-11581. 10.1007/s11356-017-8803-1.
- Shaper AG, Pocock SJ, Walker M, et al. 1981. British regional heart study: Cardiovascular risk factors in middle-aged men in 24 towns. *Br Med J* 283:179-186.
- Sharp DS, Benowitz NL, Osterloh JD, et al. 1990. Influence of race, tobacco use, and caffeine use on the relation between blood pressure and blood lead concentration. *Am J Epidemiol* 131(5):845-854.
- Sharp DS, Osterloh J, Becker CE, et al. 1988. Blood pressure and blood lead concentration in bus drivers. *Environ Health Perspect* 78:131-137.
- Sharp DS, Smith AH, Holman BL, et al. 1989. Elevated blood pressure in treated hypertensives with low-level lead accumulation. *Arch Environ Health* 44:18-22.
- Sheffet A, Thind I, Miller AM, et al. 1982. Cancer mortality in a pigment plant utilizing lead and zinc chromates. *Arch Environ Health* 37(1):44-52.
- Shen XM, Yan CH, Guo D, et al. 1998. Low-level prenatal lead exposure and neurobehavioral development of children in the first year of life: A prospective study in Shanghai. *Environ Res* 79:1-8.
- Shen X-M, Wu S-H, Yan C-H, et al. 2001. δ-Aminolevulinate dehydratase polymorphism and blood lead levels in Chinese children. *Environ Res* 85(3):185-190.
- Sherlock J, Quinn M. 1986. Relationship between blood lead concentrations and dietary lead intake in infants: The Glasgow Duplicate Diet Study 1979-1980. *Food Addit Contam* 3(2):167-176.
- Sherlock J, Smart G, Forbes GI, et al. 1982. Assessment of lead intakes and dose-response for a population in Ayr exposed to a plumbosolvent water supply. *Hum Toxicol* 1:115-122.
- Sherlock JC, Ashby D, Delves HT, et al. 1984. Reduction in exposure to lead from drinking water and its effect on blood lead concentrations. *Hum Toxicol* 3:383-392.
- Shiau C, Wang J, Chen P. 2004. Decreased fecundity among male lead workers. *Occup Environ Med* 61(11):915-923.
- Shih RA, Glass TA, Bandeen-Roche K, et al. 2006. Environmental lead exposure and cognitive function in community-dwelling older adults. *Neurology* 67(9):1556-1562. 10.1212/01.wnl.0000239836.26142.c5.
- Shih RA, Hu H, Weisskopf MG, et al. 2007. Cumulative lead dose and cognitive function in adults: A review of studies that measured both blood lead and bone lead. *Environ Health Perspect* 115:483-492. 10.1289/ehp.9786.
- Shiue I. 2014. Higher urinary heavy metal, phthalate, and arsenic but not parabens concentrations in people with high blood pressure, U.S. NHANES, 2011-2012. *Int J Environ Res Public Health* 11:5989-5999. 10.3390/ijerph110605989.
- Siciliano SD, James K, Zhang G, et al. 2009. Adhesion and enrichment of metals on human hands from contaminated soil at an Arctic urban brownfield. *Environ Sci Technol* 43(16):6385-6390.
- Siegel M, Forsyth B, Siegel L, et al. 1989. The effect of lead on thyroid function in children. *Environ Res* 49:190-196.
- Siemiatycki J. 1991. Risk factors for cancer in the workplace. Boca Raton, FL: CRC Press.

8. REFERENCES

- Silbergeld EK, Schwartz J, Mahaffey K. 1988. Lead and osteoporosis: Mobilization of lead from bone in postmenopausal women. *Environ Res* 47(1):79-94.
- Silberstein T, Saphier O, Paz-Tal O, et al. 2006. Lead concentrates in ovarian follicle compromises pregnancy. *J Trace Elem Med Biol* 20(3):205-207. 10.1016/j.jtemb.2006.05.001.
- Simon DL, Maynard EJ, Thomas KD. 2007. Living in a sea of lead — changes in blood- and hand-lead of infants living near a smelter. *J Expo Sci Environ Epidemiol* 17(3):248-259. 10.1038/sj.jes.7500512.
- Simons TJ. 1993. Lead transport and binding by human erythrocytes *in vitro*. *Toxicol Lett* 423:307-313.
- Simons TJB. 1985. Influence of lead ions on cation permeability in human red cell ghosts. *J Membr Biol* 84:61-71.
- Simons TJB. 1986a. The role of anion transport in the passive movement of lead across the human red cell membrane. *J Physiol* 378:287-312.
- Simons TJB. 1986b. Passive transport and binding of lead by human red blood cells. *J Physiol* 378:267-286.
- Simons TJB. 1988. Active transport of lead by the calcium pump in human red cell ghosts. *J Physiol* 405:105-113.
- Simons TJB, Pocock G. 1987. Lead enters bovine adrenal medullary cells through calcium channels. *J Neurochem* 48:383-389.
- Singh B, Chandran V, Bandhu HK, et al. 2000. Impact of lead exposure on pituitary-thyroid axis in humans. *Biometals* 13:187-192.
- Singh Z, Chadha P, Sharma S. 2013. Evaluation of oxidative stress and genotoxicity in battery manufacturing workers occupationally exposed to lead. *Toxicol Int* 20(1):95-100. 10.4103/0971-6580.111550.
- Sioen I, Den Hond E, Nelen V, et al. 2013. Prenatal exposure to environmental contaminants and behavioural problems at age 7-8 years. *Environ Int* 59:225-231. 10.1016/j.envint.2013.06.014.
- Sirivarasai J, Wanakul W, Kaojarern S, et al. 2013. Association between inflammatory marker, environmental lead exposure, and glutathione S-transferase gene. *BioMed Res Int* 2013:474963. 10.1155/2013/474963.
- Sithisarankul P, Schwartz BS, Lee BK, et al. 1997. Aminolevulinic acid dehydratase genotype mediates plasma levels of the neurotoxin, 5-aminolevulinic acid, in lead-exposed workers. *Am J Ind Med* 32(1):15-20.
- Skerfving S. 1988. Biological monitoring of exposure to inorganic lead. *Biological Monitoring of Toxic Metals*, 169-197.
- Skerfving S, Bergdahl IA. 2015. Lead. Specific metals, Volume II. In: Nordberg GF, Fowler BA, eds. *Handbook of toxicology of metals*. Fourth ed. Academic Press, 911-967.
- Skerfving S, Ahlgren L, Christoffersson JO, et al. 1985. Metabolism of inorganic lead in man. *Nutr Res Suppl* 1:601-607.
- Slivkova J, Popelkova M, Massanyi P, et al. 2009. Concentration of trace elements in human semen and relation to spermatozoa quality. *J Environ Sci Health Part A* 44(4):370-375. 10.1080/10934520802659729.
- Smith D, Hernandez-Avila M, Tellez-Rojo MM, et al. 2002. The relationship between lead in plasma and whole blood in women. *Environ Health Perspect* 110(3):263-268.
- Smith DR, Ilustre RP, Osterloh JD. 1998a. Methodological considerations for the accurate determination of lead in human plasma and serum. *Am J Ind Med* 33:430-438.
- Smith DR, Kahng MW, Quintanilla-Vega B, et al. 1998b. High-affinity renal lead-binding proteins in environmentally-exposed humans. *Toxicol Appl Pharmacol* 115:39-52.
- Smith DR, Osterloh JD, Flegal AR. 1996. Use of endogenous, stable lead isotopes to determine release of lead from the skeleton. *Environ Health Perspect* 104(1):60-66.
- Smith E, Weber J, Naidu R, et al. 2011. Assessment of lead bioaccessibility in peri-urban contaminated soil. *J Hazard Mater* 186(1):300-305. 10.1016/j.jhazmat.2010.10.111.

8. REFERENCES

- Smith FL, Rathmell TK, Marcil GE. 1938. The early diagnosis of acute and latent plumbism. *Am J Clin Pathol* 8:471-508.
- Smith GR. 1995. Lead. Minerals yearbook: Volume I. Metals and minerals.
- Sobin C, Flores-Montoya MG, Gutierrez M, et al. 2015. δ -Aminolevulinic acid dehydratase single nucleotide polymorphism 2 (ALAD2) and peptide transporter 22 haplotype (hPEPT22) differently influence neurobehavior in low-level lead exposed children. *Neurotoxicol Teratol* 47:137-145. 10.1016/j.ntt.2014.12.001.
- Sobin C, Gutierrez M, Alterio H. 2009. Polymorphisms of δ -aminolevulinic acid dehydratase (ALAD) and peptide transporter 2 (PEPT2) genes in children with low-level lead exposure. *Neurotoxicology* 30(6):881-887. 10.1016/j.neuro.2009.08.006.
- Sokas RK, Simmens S, Sophar K, et al. 1997. Lead levels in Maryland construction workers. *Am J Ind Med* 31:188-194.
- Soldin OP, Pezzullo JC, Hanak B, et al. 2003. Changing trends in the epidemiology of pediatric lead exposure: Interrelationship of blood lead and ZPP concentrations and a comparison to the US population. *Ther Drug Monit* 25(4):415-420.
- Sollaway BM, Schaffer A, Pratt H, et al. 1996. Effects of exposure to lead on selected biochemical and haematological variables. *Pharmacol Toxicol* 78:18-22.
- Somashekaraiah BV, Venkaiah B, Prasad ARK. 1990. Biochemical diagnosis of occupational exposure to lead toxicity. *Bull Environ Contam Toxicol* 44:268-275.
- Songdej N, Winters PC, McCabe MJ, Jr., et al. 2010. A population-based assessment of blood lead levels in relation to inflammation. *Environ Res* 110(3):272-277. 10.1016/j.envres.2009.12.008.
- Sönmez F, Dönmez O, Keskinoglu A, et al. 2002. Lead exposure and urinary N-acetyl β D glucosaminidase activity in adolescent workers in auto repair workshops. *J Adolesc Health* 30(3):213-216.
- Sonmez O, Bukun B, Kaya C, et al. 2008. The assessment of tolerance to heavy metals (Cd, Pb and Zn) and their accumulation in three weed species. *Pak J Bot* 40(2):747-754.
- Soto-Jiménez MF, Flegal AR. 2009. Origin of lead in the Gulf of California ecoregion using stable isotope analysis. *J Geochem Explor* 101(3):209-217. 10.1016/j.gexplo.2008.07.003.
- Spear TM, Svee W, Vincent JH, et al. 1998. Chemical speciation of lead dust associated with primary lead smelting. *Environ Health Perspect* 106(9):565-571.
- Specht AJ, Lin Y, Weisskopf M, et al. 2016. XRF-measured bone lead (Pb) as a biomarker for Pb exposure and toxicity among children diagnosed with Pb poisoning. *Biomarkers* 21(4):347-352. 10.3109/1354750x.2016.1139183.
- Spector JT, Navas-Acien A, Fadrowski J, et al. 2011. Associations of blood lead with estimated glomerular filtration rate using MDRD, CKD-EPI and serum cystatin C-based equations. *Nephrol Dial Transplant* 26(9):2786-2792. 10.1093/ndt/gfq773.
- Staessen J, Bulpitt C, Roels H, et al. 1984. Urinary cadmium and lead concentrations and their relation to blood pressure in a population with low exposure. *Br J Ind Med* 41(2):241-248.
- Staessen J, Yeoman WB, Fletcher AE, et al. 1990. Blood lead concentration, renal function, and blood pressure in London civil servants. *Br J Ind Med* 47:442-447.
- Staessen JA, Buchet J-P, Ginucchio G, et al. 1996a. Public health implications of environmental exposure to cadmium and lead: An overview of epidemiological studies in Belgium. *J Cardiovasc Risk* 3(1):26-41.
- Staessen JA, Lauwerys RR, Buchet JP, et al. 1992. Impairment of renal function with increasing blood lead concentrations in the general population. *N Engl J Med* 327:151-156.
- Staessen JA, Lauwerys RR, Bulpitt CJ, et al. 1994. Is a positive association between lead exposure and blood pressure supported by animal experiments? *Curr Opin Nephrol Hypertens* 3(3):257-263.
- Staessen JA, Nawrot T, Den Hond E, et al. 2001. Renal function, cytogenetic measurements, and sexual development in adolescents in relation to environmental pollutants: A feasibility study of biomarkers. *The Lancet* 357(9269):1660-1669.

8. REFERENCES

- Staessen JA, O'Brien ET, Thijs L, et al. 2000. Modern approaches to blood pressure measurement. *Occup Environ Med* 57(8):510-520.
- Staessen JA, Roels H, Fagard R. 1996b. Lead exposure and conventional and ambulatory blood pressure. A prospective population study. *J Am Med Assoc* 275(20):1563-1570.
- Stanek EJ, Calabrese EJ, Barnes R, et al. 1997. Soil ingestion in adults--results of a second pilot study. *Ecotoxicol Environ Saf* 36(3):249-257. 10.1006/eesa.1996.1510.
- Stanek EJ, Calabrese EJ, Xu B. 2012. Meta-analysis of mass-balance studies of soil ingestion in children. *Risk Anal* 32(3):433-447. 10.1111/j.1539-6924.2011.01673.x.
- Stauber JL, Florence TM. 1988. A comparative study of copper, lead, cadmium and zinc in human sweat and blood. *Sci Total Environ* 74:235-247.
- Stauber JL, Florence TM, Gulson BL, et al. 1994. Percutaneous absorption of inorganic lead compounds. *Sci Total Environ* 145:55-70.
- Steenland K, Boffetta P. 2000. Lead and cancer in humans: Where are we now? *Am J Ind Med* 38:295-299.
- Steenland K, Selevan S, Landrigan P. 1992. The mortality of lead smelter workers: An update. *Am J Public Health* 82(12):1641-1644.
- Stern AH. 1994. Derivation of a target level of lead in soil at residential sites corresponding to a *de minimis* contribution to blood lead concentration. *Risk Anal* 14(6):1049-1056.
- Stern AH. 1996. Derivation of a target concentration of Pb in soil based on elevation of adult blood pressure. *Risk Anal* 16(2):201-210.
- Stewart WF, Schwartz BS, Simon D, et al. 2002. ApoE genotype, past adult lead exposure, and neurobehavioral function. *Environ Health Perspect* 110(5):501-505.
- Stollery BT, Banks HA, Broadbent DE, et al. 1989. Cognitive functioning in lead workers. *Br J Ind Med* 46:698-707.
- Stollery BT, Broadbent DE, Banks HA, et al. 1991. Short term prospective study of cognitive functioning in lead workers. *Br J Ind Med* 48:739-749.
- Stuik EJ. 1974. Biological response of male and female volunteers to inorganic lead. *Int Arch Arbeitsmed* 33:83-97.
- Stutz DR, Janusz SJ. 1988. Protocol 57. Toxicity level 3, protection level B. In: Hazardous materials injuries. A handbook for pre-hospital care. Second ed. Beltsville, MD: Bradford Communications Corporation, 314-315.
- Succop P, Bornschein R, Brown K, et al. 1998. An empirical comparison of lead exposure pathway models. *Environ Health Perspect* 106 Suppl 6:1577-1583.
- Succop P, Clark S, Tseng CY, et al. 2001. Evaluation of public housing lead risk assessment data. *Environ Geochem Health* 23:1-15.
- Sun CC, Wong TT, Hwang YH, et al. 2002. Percutaneous absorption of inorganic lead compounds. *Am Ind Hyg Assoc J* 63:641-646.
- Sun L, Hu J, Zhao Z, et al. 2003. Influence of exposure to environmental lead on serum immunoglobulin in preschool children. *Environ Res* 92(2):124-128. 10.1016/S0013-9351(02)00090-7.
- Sun Y, Sun D, Zhou Z, et al. 2008a. Osteoporosis in a Chinese population due to occupational exposure to lead. *Am J Ind Med* 51(6):436-442. 10.1002/ajim.20567.
- Sun Y, Sun DH, Zhou ZJ, et al. 2008b. Estimation of benchmark dose for bone damage and renal dysfunction in a Chinese male population occupationally exposed to lead. *Ann Occup Hyg* 52(6):527-533. 10.1093/annhyg/men031.
- Suszkiw JB. 2004. Presynaptic disruption of transmitter release by lead. *Neurotoxicology* 25(4):599-604.
- Süzen HS, Duydu Y, Aydin A, et al. 2003. Influence of the δ -aminolevulinic acid dehydratase (ALAD) polymorphism on biomarkers of lead exposure in Turkish storage battery manufacturing workers. *Am J Ind Med* 43(2):165-171.